



ARDON®
WORKWEAR
& OUTDOOR

ARDON® 4Xstretch®

COMFORTABLE HANDLING IN DRY ENVIRONMENT
(WITH PROTECTION AGAINST CONTACT HEAT)



TECHNICAL DATA



EN 388: 2016



EN 407:2020



ARDON®
WORKWEAR
& OUTDOOR

ARDON® 4Xstretch®

COMFORTABLE HANDLING IN DRY ENVIRONMENT
(WITH PROTECTION AGAINST CONTACT HEAT)

CODE A8028

MATERIAL

Lining Polyester 15G + sandy nitrile foam
Coating partially coated.
Thickness ±1,1 mm (in palm)

SIZE(S): 6 / XS – 11 / 2XL

UNIT pair

PACKING


Units in carton 120 pairs
Units in polybag 12 pairs
Retail packing sales label (-SPE)

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	52*26*30	52*26*30	52*26*30	52*28*30	52*28*30	52*28*30	-
Carton (cbm)	-	0,041	0,041	0,041	0,044	0,044	0,044	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	4,5	23	24	25	26	27	-
Unit (g)	-	30,5	33	37,5	40,5	44,5	47,5	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	22	23	24	25	26	27	-
Cuff length (B)	-	7,2	7,5	7,7	7,9	8,1	8,3	-
Cuff width (C)	-	8	8,2	8,5	8,9	9,1	9,5	-
Palm width (D)	-	9	9,4	9,9	10,7	11,2	11,8	-

Tolerance (A) ± 0,50 (cm)
Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)
Tolerance (D) ± 0,70 (cm)

DESCRIPTION

Partially recycled polyester knit soaked in sandy nitrile foam, with a sales label.

TECHNICAL DATA



ARDON[®]
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 407:2020 Protective gloves against heat or fire.



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
 cut resistance
 tearing resistance
 puncture resistance
 cut resistance acc. to ISO

LVL

4
 1
 2
 1
 A

score

>8.000
 1,2 – 2,5
 25 – 50
 20 – 60
 2 - 5

unit

cycles
 index
 N
 N
 N

EN 407:2020 Protective gloves against heat or flame



PROTECTION LEVELS

THERMAL RISKS

resistance to burning
 resistance to contact heat
 resistance to convectional heat
 resistance to radiant heat
 resistance to small drops of molten metals
 resistance to large drops of molten metals

LVL

X
 1
 X
 X
 X
 X

score

not measured
 100°C for 15s
 not measured
 not measured
 not measured
 not measured

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

SPECIAL FEATURES

- 3D breathable (also in the area of coating)
- with contact heat protection
- each pair in all sizes is automatically in retail packaging (retail ready)
- ARDON® design:
 - manufacturer's logo
 - unique color treatment
 - Knit made of a blend of polyester and recycled polyester (from recycled PET bottles)



Retail packaging (with sales label)

A8028/06-SPE
A8028/07-SPE
A8028/08-SPE
A8028/09-SPE
A8028/10-SPE
A8028/11-SPE

EAN

8592390368614
8592390368621
8592390368638
8592390368645
8592390368652
8592390368669

TECHNICAL DATA



ARDON[®]
WORKWEAR
& OUTDOOR

