

TECHNICAL DATA SHEET

NATURE TOUCH

**COMFORTABLE HANDLING IN DRY ENVIRONMENT
(WITH CONTACT HEAT PROTECTION)**

GERENAL DATA:

Code: A8083

Material:

Liner 13 g polyester, recycle polyester, spandex (pink-white melange)
Coating latex foam (pink)
Thickness 1,25 mm (in palm)

Description: ecological liner coated in latex foam with anti-slip finish

Size(s): 06"/ XS – 09"/ L

Unit: Pair

Packing:

Units in carton 240 pairs
Units in polybag 12 pairs
Retail packing sales label




Dimmensions:	6	7	8	9
carton HxWxD (cm)	60x40x27	60x40x27	60x40x27	60x40x28
carton (cbm)	0,0648	0,0648	0,0648	0,0672

Weight:	6	7	8	9
carton (kg)	9,14	10,64	11,84	12,80
unit (g)	31,0	36,0	41,0	45,0

Size chart (cm)	6	7	8	9
total lenght (A)	22,0	23,0	24,0	25,0
cuff lenght (B)	7,0	7,2	7,4	7,6
cuff width (C)	7,8	8,0	8,2	8,4
palm width (D)	8,6	9,0	9,5	10,3

tollerance ±0,50 (cm)



STANDARDS:

(EU) 2016/425

EN ISO 21420:2020

EN 388:2016 + A1:2018

Protective gloves– general requirements and test methods

Protective gloves against mechanical risks

Protection levels:



MECHANICAL RISKS	LVL	score	unit
abrasion resistance:	2	100 – 500	cycles
cut resistance:	1	1.2 - 2.5	index
tearing resistance:	2	10 – 25	N
puncture resistance:	1	20 - 60	N
cut resistance acc. to ISO:	X	not measured	N

EN 407:2004



Protective gloves against heat or flame

RISKS

	LVL	score
resistance to burning:	X	not measured
resistance to contact heat:	1	100°C for 15s
resistance to convectional heat:	X	not measured
resistance to radiant heat:	X	not measured
resistance to small drops of molten metals:	X	not measured
resistance to large drops of molten metals:	X	not measured

SPECIAL FEATURES:

- liner made of a mixture of polyester and recycled polyester (from recycled PET bottles)
- 3D breathable (also in the place of coating)
- four color design (grey-white, blue-white, brown-white and pink-white melange)
- mandatory information on inner label
- reflective producer logo

EAN	6	8592390146434
	7	8592390146441
	8	8592390146458
	9	8592390146465



ARDON SAFETY s. r. o.
Tržní 2902/14, Přerov I - Město
Tel.: 581 250 061 www.ardon.cz

